



WHAT IS THE THYROID?

The thyroid is a butterfly shaped gland located at the base of the front of the neck. The thyroid gland regulates the thyroid hormone and plays an important role in regulating body metabolism.

WHAT ARE EUTHYROID, HYPERTHYROID, AND HYPOTHYROID?

Normal thyroid hormone level in the blood is termed “euthyroid.” When the thyroid gland malfunctions, it can produce either too much hormone (hyperthyroidism) or too little (hypothyroidism). Either imbalance can cause a variety of symptoms. When abnormal hormone production is associated with an offending antibody, eye symptoms can develop (Graves’ disease), sometimes independent of systemic thyroid levels. In some cases, hyperthyroidism (high hormone production) can occur without eye disease.

WHAT ARE THE SYMPTOMS OF HYPERTHYROIDISM?

Typical symptoms of hyperthyroid include fatigue, fast heartbeat, weight loss, heat intolerance, thinning hair and diarrhea. Hypothyroid may also cause fatigue, but with slow heartbeat, constipation and weight gain.

WHO GETS THYROID EYE DISEASE?

Although thyroid eye disorders occur at any age, the average age at onset is 45 years. There are three times as many females with thyroid eye disorders. Graves’ disease is an autoimmune disease, and can be more likely to occur in patients with other autoimmune diseases (ex. Type I Diabetes, rheumatoid arthritis)

Thyroid eye disease is mainly associated with hyperthyroidism from Graves’ disease, although it does sometimes occur in patients who are hypothyroid or euthyroid.

WHAT CAUSES THYROID EYE DISEASE?

Normal body immune systems distinguish clearly between body tissue and foreign tissue or substances. Autoimmune disorders are characterized by the production of antibodies against normal tissue. Graves’ disease is caused by an abnormal antibody attack on the thyroid gland, which often results in over or under production of thyroid hormone. This same antibody can attack eye tissues

and cause various eye symptoms. Cigarette smokers are at a higher risk for thyroid eye disease, and can have a more severe and prolonged course of the disease.

DOES THE THYROID ABNORMALITY ITSELF CAUSE EYE DISEASE?

No, the thyroid problems and the eye problems are independent manifestations of the underlying autoimmune abnormality and the abnormal antibodies. It is important to realize that thyroid eye disease can occur even when a patient is euthyroid.

WHAT ARE THE SYMPTOMS OF THYROID EYE PROBLEMS?

Nearly all of the symptoms from thyroid eye disease arise as a result of swollen tissues around the eye. Eye watering, redness, light sensitivity (photophobia), eyelid swelling and retraction of the eyelid are typical early symptoms [See figures 1 and 2].

Swelling of the normal fat tissue in the eye socket can push the eye forward creating variable prominence or protrusion of one or both eyes (called “proptosis”). Proptosis can stretch and/or compress the optic nerve potentially causing blurred vision, impaired color vision and permanent vision loss. The swelling may also involve the muscles around the eyeball resulting in decreased ability to freely move the eye/eyes in various directions. This can cause eye misalignment and double vision (“diplopia”).



Figure 1



Figure 2

HOW IS THYROID EYE DISEASE TREATED?

If a thyroid disorder is suspected, appropriate evaluation and treatment are indicated. The first priority is to restore the euthyroid condition. Eye conditions should be evaluated and treated simultaneously with the thyroid gland

treatment. Sometimes the eye problems continue to progress even after the thyroid abnormality returns to normal. Eye problems should be evaluated and treated by an ophthalmologist.

Treatment depends on the severity and the degree of activity of the disease. It can be classified as follows:

- **Vision threatening complications:** There are two complications that can cause the patient to lose vision. These should be carefully sought and managed promptly to save vision: 1) Compression on the optic nerve by the swollen tissues: this can be managed by oral steroids and in non-responsive cases, surgery can be done to remove the bones around the eye to relieve the compression. Orbital radiation may be used in conjunction with other treatment modalities, but can sometimes transiently worsen symptoms. 2) Ulcer of the cornea due to severe dryness caused by the proptosis and difficulty closing the eyelids fully: this can be managed medically by lubricating eye drops/ointments, eye covers, taping eyelids closed at night, or even surgery to close the lids together to protect the eye.
- **Active disease:** The tissues are inflamed as indicated by swelling, redness and pain. Corneal drying/exposure often requires frequent application of artificial tears, tear duct plugs or taping the eyelids shut at night. Diplopia is treated with prism in spectacles and/or patching one eye. Depending on the degree of activity the doctor may prescribe a course of steroids. This aims at controlling the abnormal immune reaction. Other medications that regulate immunity may be added. The active period, which may last up to several years, requires careful monitoring until this phase stabilizes.
- **Inactive, stable, fibrotic phase:** This phase includes proptosis, [strabismus](#) (causing double vision), and eyelid retraction. Orbital decompression surgery is sometimes performed to address disfiguring proptosis, even if vision is not compromised. Because decompression surgery can change eye alignment and/or change eyelid position, it is preferable to perform decompression surgery before strabismus or eyelid surgery. Stable diplopia can be improved with prism spectacles (small misalignment) and/or surgery if the strabismus misalignment is larger. Strabismus surgery involves repositioning fibrotic eye muscle(s) to better align the eyes. Eyelid retraction can be improved with surgery that relaxes eyelid muscles and/or inserts spacer material to



reposition the eyelid. Eyelid surgery is best performed after decompression and/or strabismus surgery.

WHERE CAN I GET MORE INFORMATION ABOUT THYROID EYE DISEASE?

- [National Graves Disease Foundation](#)